

# Richard Foot Pty Ltd

## MATERIAL SAFETY DATA SHEET

---

### PRODUCT: RF COMPUCLENE

---

#### PRODUCT IDENTIFICATION

Trade Name: None  
Other Name: None

UN No: N/A  
Dangerous Goods Class: N/A  
Subsidiary Risk: N/A  
Hazchem Code: N/A  
Packaging Group: N/A  
Poisons Schedule: N/A  
(N/A = None Allocated)

Manufacturers Code: 125ml – 50.0099  
250ml – 50.0001  
1 litre – 50.0005  
5 litres – 50.0000  
20 litres – 50.0116

**Use:** Anti-Static cleaner – Packed in 125ml, 250ml, 1 litre, 5 litre and 20 litre containers for use on external surfaces of computer equipment.

#### Ingredients:

Chemical Name:	CAS Number:	Proportion
Benzalkonium Chloride 80%	8001-54-5	< 5%
Cocoamidopropyl betaine	61789-40-0	<5%
Ethylene Glycol Monobutyl Ether	111-76-2	< 5%
Sodium Tripolyphosphate	7758-29-4	< 5%
Ammonia	7664-41-7	< 1%
Formalin	50-00-0	<1%
Deionised Water	7732-18-5	>80%

# Richard Foot Pty Ltd

## RF COMPUCLENE

---

### Physical Description/Properties

**Appearance:** Clear colourless liquid with an ammonical odour.

Physical Data:

Boiling Point (°C)	99.8
Ph	11
Vapour Pressure (20°C)	Not Applicable
Specific Gravity (20°C)	0.99
Flash Point (°C)	Not Applicable
Solubility in water (g/L)	Infinitely soluble
% Volatiles	>90%

### HEALTH HAZARD INFORMATION

#### Health Effects

##### Acute:

Swallowed: Ingestion can result in nausea and vomiting.

Eye: An eye irritant.

Skin: Contact with the skin may result in irritation.

Inhaled: Vapour or mist may be an irritant to mucous membranes and respiratory tract.

##### Chronic:

No Data

##### First Aid

Swallowed: Give water or milk to drink and induce vomiting. Use fingers in the throat or Ipecac Syrup (APF). Seek immediate medical assistance.

Eye: Immediately irrigate with copious quantities of water for at least 15 minutes. Eyelids to be held open. Remove clothing if contaminated and wash skin.

Skin: Wash contaminated skin with plenty of water. Remove contaminated clothing and wash before re-use.

# Richard Foot Pty Ltd

## RF COMPUCLENE

---

Inhaled: Remove victim from exposure – avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. If breathing labored and patient cyanotic (blue), ensure airways are clean and have qualified person give oxygen through a face mask. If breathing has stopped apply artificial respiration at once. In event of cardiac arrest, apply external cardiac massage. Seek medical advice if effects persist.

### Advice to Doctor:

Treat symptomatically.

## PRECAUTIONS FOR USE

### Exposure Standards:

The Exposure Standards (ES)s below are the volatile components of RF Screensave:

Ethylene Glycol

Monobutyl Ether – Worksafe Australia (TWA): 25 ppm  
(or): 121 mg/m<sup>3</sup>

Ammonia – Worksafe Australia (TWA): 25 ppm (STEL): 35 ppm  
(or): 17 mg/m<sup>3</sup> (or): 24mg/m<sup>3</sup>

As published by the National Occupational Health and Safety Commission (NOHSC), (Worksafe Australia).

Exposure Standard (TWA) is the time-weighted average airborne concentration over and eight-hour working day, for a five-day working week over an entire working life. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of toxicity.

# Richard Foot Pty Ltd

## RF COMPUCLENE

---

### Engineering Controls:

No Specific controls should be required.

### Personal Protection:

OVERALLS, SAFETY SHOES, GLASSES, GLOVES

Avoid repeated or prolonged skin contact. Wear overalls, safety glasses and impervious gloves. Use with adequate ventilation.

### Flammability:

Non-flammable liquid.

### Environment:

No information available for this proprietary product.

### Storage and Transport:

UN No: None      Packaging Group: None applicable

### Packaging and Labeling:

No specific requirements

### Spills & Disposal:

Refer to State Land Waste Management Authority. Advise flammable nature.

### Reactivity Data:

Minimal hazard, keep away from water reactive chemicals.

### Fire/Explosion Hazard:

Non-flammable liquid.

---

CONTACT: TECHNICAL MANAGER (02) 9979 8311

EMERGENCIES: (Mobile 0411 834 321)

DATE OF ISSUE: 01/01/2011