

Richard Foot Pty Ltd

MATERIAL SAFETY DATA SHEET

PRODUCT: RF CONTACT CLEANER LUBRICANT

PRODUCTION IDENTIFICATION

Trade Name:
Other Name:

Manufacturers Code: Aerosol – 60.0064

UN No: 1950
Dangerous Goods Class: 2
Flammable Gas
Subsidiary Risk:
Hazchem Code: 2Y
Poisons Schedule:

Classified as Hazardous according to criteria of Worksafe Australia

Use

A mixture of synthetic lubricant and solvents for cleaning electrical and electronic connectors
Packaged in 175gm (250ml) aerosol cans – Apply from aerosol.

Physical Description/Properties

Low viscosity solvent/lubricant mix, medium flammable
Flash Point: 49 Deg C (solvent)
Auto Ignition Temp: Not Available
Flammable Limits in Air: vol%: Lower 1 Upper 7

Ingredients

Chemical Entity	CAS NO.	Proportions %
Petroleum distillates	[64742-47-8]	High > 60%
Alcohol	[70914-20-4]	Low < 10%
Polyglycol	[9003-13-8]	Low < 10%

Hydrocarbon Propellant

Page 1

Richard Foot Pty Ltd

ABN 26 001 990 414

14/2 Apollo Street, Warriewood NSW Australia 2102 Tel: +61 02 9979 8311 Fax: +61 02 9979 8098

Web: www.rfoot.com.au Email: sales@rfoot.com.au

Richard Foot Pty Ltd

RF CONTACT CLEANER LUBRICANT

HEALTH HAZARD INFORMATION

Health Effects

Swallowed: Low order of toxicity. May cause irritation to mouth, throat and digestive system.
Eye: Irritant
Skin: Low order of toxicity. Irritant also causes defaulting of skin.
Inhaled: May irritate nose and respiratory tract, may cause drowsiness and headache.

First Aid

Swallowed: Do not induce vomiting because of risk of aspiration. Give 250mls of milk to drink. "Liquid paraffin" may slow gastric absorption.
Eye: Irrigate eye with copious quantities of water for at least 15 minutes.
Skin: Wash off with soap and water. Remove contaminated clothing.
Inhaled: Move to fresh air, keep patient warm and at rest. If loss of consciousness, give oxygen and if breathing stops give artificial respiration.

Advice to Doctor: Treat symptomatically.

PRECAUTIONS FOR USE

Exposure Limits

TLV 100 ppm

Engineering Controls

Ensure adequate ventilation to keep airborne concentrations below exposure standard.

Personal Protection

Not normally necessary

Flammability

Avoid sources of ignition.

Richard Foot Pty Ltd

RF CONTACT CLEANER LUBRICANT

SAFETY HANDLING INFORMATION

Storage/Transport

Store in a cool dry area

Packaging/Labeling

UN NO.1950

Class 2 flammable gas

Sub Risk None Allocated

Hazchem Code 2Y

Pack Group N/A

Shipping Name Aerosols

Spills and Disposal

Dispose of in accordance with local rules and regulations.

FIRE AND EXPLOSION HAZARD

Fire/Explosion

Flammable material

Hydrocarbon propellant

Extinguishing Media

Use foam or dry chemical

CONTACT: TECHNICAL MANAGER (02) 9979 8311

EMERGENCIES: (Mobile 0411 834 321)

DATE OF ISSUE: 10/01/2012