

Richard Foot Pty Ltd

MATERIAL SAFETY DATA SHEET

PRODUCT: RF PLATENCLENE

PRODUCTION IDENTIFICATION

Trade Name: None
Other Name: None

UN No: 1219
Dangerous Goods Class: 3
Hazchem: 2(S)E
Subsidiary Risk:
Poisons Schedule: S5
Packaging Group: II

Manufacturers Code: Various

Classified as hazardous according to criteria of Worksafe Australia

Use

Cleaning rubber platens in printers, photocopiers and rubber drive wheels.

Physical Description/Properties

Colourless liquid
Boiling Point: 74 Deg C
Auto Ignition Temp: 500 Deg C
Vapour Pressure @ 20 Deg C: 13 kPa
Specific Gravity: 1.31

<u>Ingredients</u>	<u>CAS NO.</u>	<u>%</u>
Trichlorethylene	[79-01-6]	48%
Isopropyl Alcohol	[67-63-0]	20%
Acetone	[67-64-1]	1%
Butyl Icinol	[111-76-2]	7%
Mineral Spirits	[64475-85-0]	24%

Richard Foot Pty Ltd

RF Platenclene

HEALTH HAZARD INFORMATION

Health Effects

- Swallowed: Small amounts of the liquid aspirated into the respiratory system during ingestion, or from vomiting, may cause bronchopneumonia or pulmonary edema. Minimal toxicity.
- Eye: Irritating but does not injure eye tissue.
- Skin: Moderate irritant and degreasing action.
- Inhaled: High vapour concentrations are irritating to the respiratory tract, may cause headaches and dizziness, are anesthetic and may have other central nervous system effects.

First Aid

- Swallowed: Thoroughly rinse mouth with water. Give water to drink. Do not give milk, oils or alcohol.
- Eye: Irrigate eye with copious quantities of water for at least 10 minutes. If irritation persists, get medical attention.
- Skin: Wash off with soap and water. Wash contaminated clothing before reuse.
- Inhaled: Vapour is irritant to mucous membranes and respiratory tract. Can cause headaches, dizziness and drowsiness. Intentional missuses by deliberately concentrating and inhaling could be harmful or fatal.

Advice to Doctor: Treat symptomatically.

PRECAUTIONS FOR USE

Exposure Limits

TLV 300 p.p.m

Engineering Controls

Provide sufficient (general and /or local) exhaust to maintain a level below TLV'S.

Personal Protection

Not normally necessary

Flammability

Flammable

Page 2

Richard Foot Pty Ltd

ABN 26 001 990 414

14/2 Apollo Street, Warriewood NSW Australia 2102 Tel: +61 02 9979 8311 Fax: +61 02 9979 8098

Web: www.rfoot.com.au Email: sales@rfoot.com.au

Richard Foot Pty Ltd

RF Platenclene

SAFETY HANDLING INFORMATION

Storage/Transport

Store in a cool dry area

Packaging/Labeling

UN NO.1219

Class 3 flammable

Sub Risk None Allocated

Hazchem Code 2(S)E

Pack Group II

Spills and Disposal

Dispose of in accordance with local rules and regulations.

FIRE AND EXPLOSION HAZARD

Fire/Explosion

Flammable liquid

Extinguishing Media

In case of fire, appropriate extinguishing media include foam, dry chemical. Keep exposed unopened containers cool with water spray. When entering enclosed areas, wear self contained breathing apparatus.

CONTACT: TECHNICAL MANAGER (02) 9979 8311

EMERGENCIES: (Mobile 0411 834 321)

DATE OF ISSUE: 01/01/2011

Page 3

Richard Foot Pty Ltd

ABN 26 001 990 414

14/2 Apollo Street, Warriewood NSW Australia 2102 Tel: +61 02 9979 8311 Fax: +61 02 9979 8098

Web: www.rfoot.com.au Email: sales@rfoot.com.au